

« IMMUNOMODULATION BY MYCOBACTERIAL LIPIDS AND GLYCOCONJUGATES » TEAM

Jérôme Nigou

A COMPLETE LIST OF THE PAPERS, BY YEAR:

2016

Roux, A.L., Viljoen, A., Bah, A., Simeone, R., Bernut, A., Laencina, L., Deramaudt, T., Rottman, M., Gaillard, J.L., Majlessi, L., Brosch, R., Girard-Misguich, F., Vergne, I., de Chastellier, C., Kremer, L. & Herrmann, J.L. (2016) The distinct fate of smooth and rough Mycobacterium abscessus variants inside macrophages. *Open Biol*, 6:160185.

Gilleron, M., Lepore, M., Layre, E., Cala-De Paepe, D., Mebarek, N., Shayman, J.A., Canaan, S., Mori, L., Carrière, F., Puzo, G. & De Libero, G. (2016) Lysosomal lipases PLRP2 and LPLA2 process mycobacterial multiacylated lipid antigens and generate T cell stimulatory antigens. *Cell Chem Biol*, 23:1147-56.

Arbues, A., Malaga, W., Constant, P., Guilhot, C., Prandi, J. & Astarie-Dequeker, C. (2016) Trisaccharides of Phenolic Glycolipids Confer Advantages to Pathogenic Mycobacteria through Manipulation of Host-Cell Pattern-Recognition Receptors. *ACS Chem Biol*, 11:2865-75.

Barthe, P., Veyron-Churlet, R., de Visch, A., Gilleron, M., Saliou, J.-M., Tomavo, S., Nigou, J., Brodin, P. & Cohen-Gonsaud, M. (2016) Mycobacterium tuberculosis LppM displays an original structure and domain composition linked to a dual localisation. *Structure*, 24:1788-1794.

Bah, A., Lacarriere, C. & Vergne, I. (2016) Autophagy-related proteins target ubiquitin-free mycobacterial compartment to promote killing in macrophages. *Front Cell Infect Microbiol* 6:53.

Kaufmann, E., Spohr, C., Battenfeld, De Paepe, D., Holzhauser, Balks, E., Homolka, S., Reiling, N., Gilleron, M., Bastian, M. (2016) BCG-vaccination induces robust CD4+ T-cell responses to Mycobacterium tuberculosis complex-specific lipopeptides in guinea pigs. *J Immunol*, 196(6):2723-32.

2015

Vétizou, M., Pitt, J.M., Daillère, R., Lepage, P., Waldschmitt, N., Flament, C., Rusakiewicz, S., Routy, B., Roberti, M.P., Duong, C.P.M., Poirier-Colame, V., Roux, A., Becharef, S., Formenti, S., Golden, E., Cording, S., Eberl, G., Schlitzer, A., Ginhoux, F., Mani, S., Yamazaki, T., Jacquelot, N., Enot, D.P., Bérard, M., Nigou, J., Opolon, P., Eggermont, A., Woerther, P.L., Chachaty, E., Chaput, N., Robert, C., Mateus, C., Kroemer, G., Raoult, D., Gomperts Boneca, I., Carbonnel, F., Chamaillard, M. & Zitvogel, L. (2015) Anticancer immunotherapy by CTLA4 blockade relies on the gut microbiota. *Science*, 350(6264):1079-84.

Seshadri C., Lin L., Scriba T.J., Peterson G., Freidrich D., Frahm N., DeRosa S.C., Moody D.B., Prandi J., Gilleron M., Mahomed H., Jiang W., Finak G., Hanekom W.A., Gottardo R., McElrath M.J., Hawn T.R. (2015) T Cell Responses against Mycobacterial Lipids and Proteins Are Poorly Correlated in South African Adolescents. *J Immunol*, 195(10):4595-603.

Prakhar P., Holla S., Ghorpade D.S., Gilleron M., Puzo G., Udupa V., Balaji K.N. (2015) Ac2PIM-responsive miR-150 and miR-143 Target Receptor-interacting Protein Kinase 2 and Transforming Growth Factor Beta-activated Kinase 1 to Suppress NOD2-induced Immunomodulators. *J Biol Chem*, 290(44):26576-86.

Larrouy-Maumus, G., Gilleron, M., Skovierová, H., Zuberogoitia, S., Brennan, P.J., Puzo, G., Jackson, M. & Nigou, J. (2015) A glycomic approach reveals a new mycobacterial polysaccharide. *Glycobiology*, 25(11):1163-71.

Layre, E., Mazurek, J. & Gilleron, M. (2015) Glycolipid Presentation by CD1. In: eLS. John Wiley & Sons, Ltd: Chichester. DOI:10.1002/9780470015902.a0020182.pub2

Troegeler, A., Lugo-Villarino, G., Hansen, S, Rasolofo, V, Henriksen, M.L., Mori, K., Ohtani, K., Duval, C, Mercier, I, Bénard, A, Nigou, J., Hudrisier, D., Wakamiya, N. & Neyrolles, O. (2015) Collectin CL-LK Is a Novel Soluble Pattern Recognition Receptor for Mycobacterium tuberculosis. *PLoS One* 10(7), e0132692.

Wheat, W.H., Dhoub, R., Angala, S.K., Larrouy-Maumus, G., Dobos, K., Nigou, J., Spencer, J.S. & Jackson, M. (2015) The Presence of a Galactosamine Substituent on the Arabinogalactan of Mycobacterium tuberculosis Abrogates Full Maturation of Human Peripheral Blood Monocyte-Derived Dendritic cells and Increases Secretion of IL-10. *Tuberculosis*, 95(4), 476-89.

Espert, L., Beaumelle, B. & Vergne, I. (2015) Autophagy in Mycobacterium tuberculosis and HIV infections. *Front Cell Infect Microbiol*, 5:49.

Wang, J., Gasc, F. & Prandi, J. (2015) Samarium Diiodide Mediated Coupling of 2-Pyridylsulfonyl Furanosides with Aldehydes and Ketones: A General Synthesis of C-Furanosides. *Eur J Org Chem*, 12, 2691–2697.

Vergne, I., Gilleron, M. & Nigou, J. (2015) Manipulation of the endocytic pathway and phagocyte functions by Mycobacterium tuberculosis lipoarabinomannan. *Front Cell Infect Microbiol*, 4, 187.

Lanéelle, M.-A., Nigou, J. & Daffé, M. (2015) Lipid and lipoarabinomannan purification and characterization. *Methods Mol Biol*, 1285, 77-103.

Blattes, E., Vercellone, A., Gomes-Silva, S., Prandi, J. & Nigou, J. (2015) Molecular bases of Mycobacterium tuberculosis recognition by the C-type lectin DC-SIGN: from the modulation of innate immune response to the design of innovative anti-inflammatory drugs. In *Carbohydrates in Drug Design and Discovery* (Jimenez-Barbero, J., Javier Canada, F. & Martin-Santamaria, S., eds), pp 64-88, The Royal Society of Chemistry, Cambridge, UK.

Larrouy-Maumus, G. & Puzo, G. (2015) Mycobacterial envelope lipids fingerprint from direct MALDI-TOF MS analysis of intact bacilli. *Tuberculosis*, 95:75-85.

2014

Gomes-Silva, S., Decout, A. & Nigou, J. (2014) Pathogen-Associated Molecular Patterns (PAMPs). In *Encyclopedia of Inflammatory Diseases* (Parnham BSc, PhD, CBiol MSB, FBPharmacolS M., Ed). SpringerReference (www.springerreference.com). Springer Basel. DOI 10.1007/978-3-0348-0620-6_35-1.

2013

Blanc, L., Castanier, R., Mishra, A.K., Ray, A., Besra, G.S., Sutcliffe, I., Vercellone, A., & Nigou, J. (2013) Gram-positive bacterial lipoglycans based on a glycosylated diacylglycerol lipid anchor are microbe-associated molecular patterns recognized by TLR2. *PLoS One*, 8:e81593.

Gau, B., Lemétais, A., Lepore, M., Garcia-Alles, L.-F., Bourdreux, Y., Mori, L., Gilleron, M., De Libero, G., Puzo, G., Beau, J.-M. & Prandi, J. (2013) Simplified Deoxypropionate Acyl Chains for Mycobacterium tuberculosis Sulfoglycolipid Analogues: Chain Length is Essential for High Antigenicity. *ChemBioChem*, 14:2413-7.

Liu, C.-F., Drocourt, D., Puzo, G., Wang, J.-Y. & Rivière, M. (2013) Innate immune response of alveolar macrophage to house dust mite allergen is mediated through TLR2/-4 co-activation. *PLoS One*, 8:e75983.

Blattes, E., Vercellone, A., Eutamène, H., Turrin, C.O., Théodorou, V., Majoral, J.P., Caminade, A.M., Prandi, J., Nigou, J. & Puzo, G. (2013) Mannodendrimers prevent acute lung inflammation by inhibiting neutrophil recruitment. *PNAS*, 110:8795-800.

Liu, C.F., Tonini, L., Malaga, W., Beau, M., Stella, A., Bouyssié, D., Jackson, M., Nigou, J., Puzo, G., Guilhot, C., Burllet-Schiltz, O. & Rivière, M. (2013) Bacterial protein-O-mannosylating enzyme is crucial for virulence of *Mycobacterium tuberculosis*. *PNAS*, 110: 6560-5.

Gouzy, A., Nigou, J., Gilleron, M., Neyrolles, O., Tailleux, L. & Gordon, S.V. (2013) Tuberculosis 2012: Biology, pathogenesis and intervention strategies-an update from the City of Light. *Res Microbiol*, 164: 270-80.

Afonso-Barroso, A., Clark, S.O., Williams, A., Rosa, G.T., Nóbrega, C., Silva-Gomes, S., Vale-Costa, S., Ummels, R., Stoker, N., Movahedzadeh, F., van der Ley, P., Sloots, A., Cot, M., Appelmeik, B.J., Puzo, G., Nigou, J., Geurtsen, J. & Appelberg, R. (2013) Lipoarabinomannan mannose caps do not affect mycobacterial virulence or the induction of protective immunity in experimental animal models of infection and have minimal impact on in vitro inflammatory responses. *Cell Microbiol*, 15: 660-74.

Geerdink, D., ter Horst, B., Lepore, M. Mori, L., Puzo, G., Hirsch, A., Gilleron, M., de Libero, G. & Minnaard, A. (2013) Total synthesis, stereochemical elucidation and biological evaluation of Ac2SGL; a 1,3-methyl branched sulfoglycolipid from *Mycobacterium tuberculosis*. *Chem Sci* 4: 709–716.

Ray A., Cot M., Puzo G., Gilleron M., Nigou J. (2013) Bacterial cell wall macroamphiphiles: Pathogen-/microbe-associated molecular patterns detected by mammalian innate immune system. *Biochimie* 95: 33-42.

2012

Mishra, A.K., Alves, J.E., Krumbach, K., Nigou, J., Castro, A.G., Geurtsen, J., Eggeling, L., Saraiva, M. & Besra G.S. (2012) Differential arabinan capping of lipoarabinomannan modulates innate immune responses and impacts T helper cell differentiation. *J Biol Chem*, 287:44173-83.

Larrouy-Maumus, G., Škovierová, H., Dhouib, R., Angala, S.K., Zuberogoitia, S., Pham, H., Drumond Villela, A., Mikušová, K., Noguera, A., Gilleron, M., Valentínová, L., Korduláková, J., Brennan, P.J., Puzo, G., Nigou, J. & Jackson M. (2012) A small multidrug resistance-like transporter involved in the arabinosylation of arabinogalactan and lipoarabinomannan in mycobacteria. *J Biol Chem*, 287: 39933-41.

Cala-De Paeppe D., Layre E., Giacometti G., Garcia-Alles L.F., Mori L., Hanau D., De Libero G., de la Salle H., Puzo G., Gilleron M. (2012) Deciphering the role of CD1e in mycobacterial phosphatidyl-myo-inositol-mannosides (PIM) processing for presentation by CD1b to T lymphocytes. *J. Biol. Chem.* 287:31494-502.

Prandi, J., A Convenient Synthesis of Glucose Monomycolate. *Carbohydr Res*, 2012, 347:151–154.

2011

Krishna, S., Ray, A., Dubey, S.K., et al., Lipoglycans contribute to innate immune detection of mycobacteria. *PLoS One*, 2011, 6(12):e28476.

Cot, M., et al., Lipoteichoic acid in *Streptomyces hygroscopicus*: Structural model and immunomodulatory activities. *PLoS One*, 2011, 6(10):e26316.

Garcia-Alles, L.F., et al., Structural reorganization of the antigen-binding groove of human CD1b for presentation of mycobacterial sulfoglycolipids. *Proc Natl Acad Sci U S A*, 2011, 108(43):17755-60.

Facciotti, F., Fine tuning by human CD1e of lipid-specific immune responses. *Proc Natl Acad Sci U S A*, 2011, 108(34):14228-33.

Garcia-Alles, L.F., et al., Crystal structure of human CD1e reveals a groove suited for lipid-exchange processes. *Proc Natl Acad Sci U S A*, 2011, 108(32):13230-5.

Layre, E., et al., Deciphering sulfoglycolipids of *Mycobacterium tuberculosis*. *J Lipid Res*, 2011. 52(6): p.1098-1110.

Baud C., et al., Membrane-associated DegP in *Bordetella* chaperones a repeat-rich secretory protein. *Mol Microbiol*, 2011, 80(6):1625-36.

Mishra, A.K., et al., Lipoarabinomannan biosynthesis in *Corynebacterineae*: the interplay of two $\alpha(1\rightarrow2)$ -mannopyranosyltransferases MptC and MptD in mannan branching. *Mol Microbiol*, 2011. 80(5): p.1241-1259.

Roux, A.L., et al., Overexpression of proinflammatory TLR-2-signalling lipoproteins in hypervirulent mycobacterial variants. *Cell Microbiol*, 2011, 13(5): p.692–704.

2010

Birch, H.L., et al., A truncated lipoglycan from mycobacteria with altered immunological properties. *Proc Natl Acad Sci U S A*, 2010. 107(6): p. 2634-9.

Astarie-Decqueker, et al., The role of mycobacterial lipids in host pathogenesis. *Drug Discov Today (Disease Mechanisms)*, 2010. 7(1): p.e33-41.

Puzo, G., Lipidomique. *Médecine Clinique*, 2010. 46: p.30-35.

Rivière, M., Les défis de la glycomique clinique. *Médecine Clinique*, 2010. 47: p.22-26.

Brodin, P., et al., High content phenotypic cell-based visual screen identifies *Mycobacterium tuberculosis* acyltrehalose-containing glycolipids involved in phagosome remodeling. *PLoS Pathog*, 2010. 6(9): e1001100.

Driessen, N.N., et al., *Mycobacterium marinum* MMAR_2380, a predicted transmembrane acyltransferase, is essential for the presence of the mannose cap on lipoarabinomannan. *Microbiology*, 2010. 156(Pt 11): p. 3492-502.

Jang, J., et al., Functional characterization of the *Mycobacterium tuberculosis* serine/threonine kinase PknJ. *Microbiology*, 2010. 156(Pt 6): p. 1619-31.

Liu, C.F., et al., Surfactant protein D inhibits mite-induced alveolar macrophage and dendritic cell activations through TLR signalling and DC-SIGN expression. *Clin Exp Allergy*, 2010. 40(1): p. 111-22.

Skovierova, H., et al., Biosynthetic origin of the galactosamine substituent of Arabinogalactan in *Mycobacterium tuberculosis*. *J Biol Chem*, 2010. 285(53): p. 41348-55.

2009

Bansal, K., et al., PIM2 Induced COX-2 and MMP-9 expression in macrophages requires PI3K and Notch1 signaling. *PLoS One*, 2009. 4(3): p. e4911.

Doz, E., et al., Mycobacterial phosphatidylinositol mannosides negatively regulate host Toll-like receptor 4, MyD88-dependent proinflammatory cytokines, and TRIF-dependent co-stimulatory molecule expression. *J Biol Chem*, 2009. 284(35): p. 23187-96.

Geurtsen, J., et al., Identification of mycobacterial alpha-glucan as a novel ligand for DC-SIGN: involvement of mycobacterial capsular polysaccharides in host immune modulation. *J Immunol*, 2009. 183(8): p. 5221-31.

Guiard, J., et al., Fatty acyl structures of mycobacterium tuberculosis sulfoglycolipid govern T cell response. *J Immunol*, 2009. 182(11): p. 7030-7.

Kaur, D., et al., Initiation of methylglucose lipopolysaccharide biosynthesis in mycobacteria. *PLoS One*, 2009. 4(5): p. e5447.

Layre, E., et al., Mycolic acids constitute a scaffold for mycobacterial lipid antigens stimulating CD1-restricted T cells. *Chem Biol*, 2009. 16(1): p. 82-92.

Maitre, B., et al., The assembly of CD1e is controlled by an N-terminal propeptide which is processed in endosomal compartments. *Biochem J*, 2009. 419(3): p. 661-8.

Narayana, Y., et al., SOCS3 expression induced by PIM2 requires PKC and PI3K signaling. *Mol Immunol*, 2009. 46(15): p. 2947-54.

Skovierova, H., et al., AftD, a novel essential arabinofuranosyltransferase from mycobacteria. *Glycobiology*, 2009. 19(11): p. 1235-47.

Tanne, A., et al., A murine DC-SIGN homologue contributes to early host defense against *Mycobacterium tuberculosis*. *J Exp Med*, 2009. 206(10): p. 2205-20.

2008

Appelmelk, B.J., et al., The mannose cap of mycobacterial lipoarabinomannan does not dominate the Mycobacterium-host interaction. *Cell Microbiol*, 2008. 10(4): p. 930-44.

Guiard, J., et al., Synthesis of diacylated trehalose sulfates: candidates for a tuberculosis vaccine. *Angew Chem Int Ed Engl*, 2008. 47(50): p. 9734-8.

Nigou, J., et al., Mannan chain length controls lipoglycans signaling via and binding to TLR2. *J Immunol*, 2008. 180(10): p. 6696-702.

Pitarque, S., et al., The immunomodulatory lipoglycans, lipoarabinomannan and lipomannan, are exposed at the mycobacterial cell surface. *Tuberculosis (Edinb)*, 2008. 88(6): p. 560-5.

Tourne, S., et al., Cutting edge: a naturally occurring mutation in CD1e impairs lipid antigen presentation. *J Immunol*, 2008. 180(6): p. 3642-6.

Gilleron M., et al. (2008) Structure, activities and biosynthesis of the phosphatidyl-myo-inositol-based lipoglycans. In *The mycobacterial cell envelope* (Daffé, M., & Reyrat, J. M., eds) pp 75-105, ASM Press, Washington DC.

2007

Brown, A.K., et al., Dimerization of inositol monophosphatase Mycobacterium tuberculosis SuhB is not constitutive, but induced by binding of the activator Mg²⁺. *BMC Struct Biol*, 2007. 7: p. 55.

Doz, E., et al., Acylation determines the toll-like receptor (TLR)-dependent positive versus TLR2-, mannose receptor-, and SIGNR1-independent negative regulation of pro-inflammatory cytokines by mycobacterial lipomannan. *J Biol Chem*, 2007. 282(36): p. 26014-25.

Dulphy, N., et al., Intermediate maturation of Mycobacterium tuberculosis LAM-activated human dendritic cells. *Cell Microbiol*, 2007. 9(6): p. 1412-25.

Mishra, A.K., et al., Identification of an alpha(1—>6) mannopyranosyltransferase (MptA), involved in Corynebacterium glutamicum lipomannan biosynthesis, and identification of its orthologue in Mycobacterium tuberculosis. *Mol Microbiol*, 2007. 65(6): p. 1503-17.

Puissegur, M.P., et al., Mycobacterial lipomannan induces granuloma macrophage fusion via a TLR2-dependent, ADAM9- and beta1 integrin-mediated pathway. *J Immunol*, 2007. 178(5): p. 3161-9.

Ragas, A., et al., The Mycobacterium tuberculosis cell-surface glycoprotein apa as a potential adhesin to colonize target cells via the innate immune system pulmonary C-type lectin surfactant protein A. *J Biol Chem*, 2007. 282(8): p. 5133-42.

Rosas-Magallanes, V., et al., Signature-tagged transposon mutagenesis identifies novel Mycobacterium tuberculosis genes involved in the parasitism of human macrophages. *Infect Immun*, 2007. 75(1): p. 504-7.

Stadthagen, G., et al., Genetic basis for the biosynthesis of methylglucose lipopolysaccharides in Mycobacterium tuberculosis. *J Biol Chem*, 2007. 282(37): p. 27270-6.

Tatituri, R.V., et al., Structural characterization of a partially arabinosylated lipoarabinomannan variant isolated from a Corynebacterium glutamicum ubiA mutant. *Microbiology*, 2007. 153(Pt 8): p. 2621-9.

Tatituri, R.V., et al., Inactivation of Corynebacterium glutamicum NCgl0452 and the role of MgtA in the biosynthesis of a novel mannosylated glycolipid involved in lipomannan biosynthesis. *J Biol Chem*, 2007. 282(7): p. 4561-72.

2006

Garcia-Alles, L.F., et al., Endogenous phosphatidylcholine and a long spacer ligand stabilize the lipid-binding groove of CD1b. *Embo J*, 2006. 25(15): p. 3684-92.

Gilleron, M., et al., The acylation state of mycobacterial lipomannans modulates innate immunity response through toll-like receptor 2. *Chem Biol*, 2006. 13(1): p. 39-47.

Gilleron, M., B. Lindner, and G. Puzo, MS/MS approach for characterization of the fatty acid distribution on mycobacterial phosphatidyl-myo-inositol mannosides. *Anal Chem*, 2006. 78(24): p. 8543-8.

Herrmann, J.L., et al., The role of human dendritic cells in tuberculosis: protector or non-protector? *Rev Mal Respir*, 2006. 23(3 Suppl): p. 6S21-6S28.

Stadthagen, G., et al., Comparative investigation of the pathogenicity of three *Mycobacterium tuberculosis* mutants defective in the synthesis of p-hydroxybenzoic acid derivatives. *Microbes Infect*, 2006. 8(8): p. 2245-53.

2005

de la Salle, H., et al., Assistance of microbial glycolipid antigen processing by CD1e. *Science*, 2005. 310(5752): p. 1321-4.

Gibson, K.J., et al., A lipomannan variant with strong TLR-2-dependent pro-inflammatory activity in *Saccharothrix aerocolonigenes*. *J Biol Chem*, 2005. 280(31): p. 28347-56.

Gilleron, M., et al., Characterization of a truncated lipoarabinomannan from the Actinomycete *Turicella otitidis*. *J Bacteriol*, 2005. 187(3): p. 854-61.

Pitarque, S., et al., Deciphering the molecular bases of *Mycobacterium tuberculosis* binding to the lectin DC-SIGN reveals an underestimated complexity. *Biochem J*, 2005. 392(Pt 3): p. 615-24.

Villeneuve, C., et al., Mycobacteria use their surface-exposed glycolipids to infect human macrophages through a receptor-dependent process. *J Lipid Res*, 2005. 46(3): p. 475-83.

2004

Gibson, K.J., et al., *Tsukamurella paurometabola* lipoglycan, a new lipoarabinomannan variant with pro-inflammatory activity. *J Biol Chem*, 2004. 279(22): p. 22973-82.

Gilleron, M., et al., Diacylated Sulfoglycolipids Are Novel Mycobacterial Antigens Stimulating CD1-restricted T Cells during Infection with *Mycobacterium tuberculosis*. *J Exp Med*, 2004. 199(5): p. 649-659.

Joucla, G., et al., Capillary electrophoresis analysis of glucooligosaccharide regioisomers. *Electrophoresis*, 2004. 25(6): p. 861-9.

Nigou, J., et al., Structural analysis of mycobacterial lipoglycans. *Appl Biochem Biotechnol*, 2004. 118(1-3): p. 253-68.

Quesniaux, V.J., et al., Toll-like receptor 2 (TLR2)-dependent-positive and TLR2-independent-negative regulation of proinflammatory cytokines by mycobacterial lipomannans. *J Immunol*, 2004. 172(7): p. 4425-34.

Riviere, M., et al., Highly ordered supra-molecular organization of the mycobacterial lipoarabinomannans in solution. Evidence of a relationship between supra-molecular organization and biological activity. *J Mol Biol*, 2004. 344(4): p. 907-18.

2003

Gibson, K.J., et al., Structural and functional features of *Rhodococcus ruber* lipoarabinomannan. *Microbiology*, 2003. 149(Pt 6): p. 1437-45.

Gibson, K.J., et al., Disruption of Cg-Ppm1, a polyprenyl monophosphomannose synthase, and the generation of lipoglycan-less mutants in *Corynebacterium glutamicum*. *J Biol Chem*, 2003. 278(42): p. 40842-50.

Gibson, K.J., et al., Identification of a novel mannose-capped lipoarabinomannan from *Amycolatopsis sulphurea*. *Biochem J*, 2003. 372(Pt 3): p. 821-9.

Gilleron, M., V.F. Quesniaux, and G. Puzo, Acylation state of the phosphatidylinositol hexamannosides from *Mycobacterium bovis* bacillus Calmette Guerin and *Mycobacterium tuberculosis* H37Rv and its implication in Toll-like receptor response. *J Biol Chem*, 2003. 278(32): p. 29880-9.

Kordulakova, J., et al., Identification of the required acyltransferase step in the biosynthesis of the phosphatidylinositol mannosides of *Mycobacterium* species. *J Biol Chem*, 2003.

Maeda, N., et al., The cell surface receptor DC-SIGN discriminates between *Mycobacterium* species through selective recognition of the mannose caps on lipoarabinomannan. *J Biol Chem*, 2003. 278(8): p. 5513-6.

Nigou, J., M. Gilleron, and G. Puzo, Lipoarabinomannans: from structure to biosynthesis. *Biochimie*, 2003. 85(1-2): p. 153-166. Tailleux, L., et al., How is the phagocyte lectin keyboard played? Master class lesson by *Mycobacterium tuberculosis*. *Trends Microbiol*, 2003. 11(6): p. 259-63.

2002

Brando, T., et al., Analysis of aminofluorescein-fatty acid derivatives by capillary electrophoresis with laser-induced fluorescence detection at the attomole level: application to mycobacterial fatty acids. *J Chromatogr A*, 2002. 973(1-2): p. 203-10.

Cooper, H.N., et al., Characterization of mycobacterial protein glycosyltransferase activity using synthetic peptide acceptors in a cell-free assay. *Glycobiology*, 2002. 12(7): p. 427-34.

Garton, N.J., et al., A novel lipoarabinomannan from the equine pathogen *Rhodococcus equi*: structure and effect on macrophage cytokine production. *J Biol Chem*, 2002. 277: p. 31722-31733.

Kordulakova, J., et al., Definition of the first mannosylation step in phosphatidylinositol mannoside synthesis: PimA is essential for growth of *Mycobacteria*. *J Biol Chem*, 2002. 277: p. 31335-31344.

Ludwiczak, P., et al., *Mycobacterium tuberculosis* phoP mutant: lipoarabinomannan molecular structure. *Microbiology*, 2002. 148(Pt 10): p. 3029-37.

Mempel, M., et al., Natural killer T cells restricted by the monomorphic MHC class 1b CD1d1 molecules behave like inflammatory cells. *J Immunol*, 2002. 168(1): p. 365-71.

Nigou, J., et al., Mycobacterial lipoarabinomannans: modulators of dendritic cell function and the apoptotic response. *Microbes Infect*, 2002. 4(9): p. 945-53.

Sidobre, S., G. Puzo, and M. Riviere, Lipid-restricted recognition of mycobacterial lipoglycans by human pulmonary surfactant protein A: a surface-plasmon-resonance study. *Biochem J*, 2002. 365(Pt 1): p. 89-97.

2001

Gilleron, M., M. Rivière, and G. Puzo, Role of glycans in the bacterial infections: interaction host-mycobacteria, in *Glycans in cell interaction and recognition: therapeutic aspects*, M. Aubery, Editor. 2001, Harwood Academic Publishers: Amsterdam. p. 113140.

Gilleron, M., et al., Acylation state of the phosphatidylinositol mannosides from *Mycobacterium bovis* bacillus Calmette Guerin and ability to induce granuloma and recruit natural killer T cells. *J Biol Chem*, 2001. 276(37): p. 34896-904.

Ludwiczak, P., et al., Structural characterization of *Mycobacterium tuberculosis* lipoarabinomannans by the combination of capillary electrophoresis and matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. *Anal Chem*, 2001. 73(10): p. 2323-30.

Nigou, J., et al., Mannosylated lipoarabinomannans inhibit IL-12 production by human dendritic cells: evidence for a negative signal delivered through the mannose receptor. *J Immunol*, 2001. 166(12): p. 7477-85.

Prandi, J., A general route to 4-C-branched sugars. Synthesis of methyl alpha-caryophylloside. *Carbohydr Res*, 2001. 332(3): p. 241-7.

2000

Astarié-Dequeker, C., et al., Lipoarabinomannans activate the protein tyrosine kinase Hck in human neutrophils. *Infect Immun*, 2000. 68(8): p. 4827-30.

Gilleron, M., et al., *Mycobacterium tuberculosis* H37Rv parietal and cellular lipoarabinomannans. Characterization of the acyl- and glyco-forms. *J Biol Chem*, 2000. 275(1): p. 677-84.

Nigou, J., A. Vercellone, and G. Puzo, New structural insights into the molecular deciphering of mycobacterial lipoglycan binding to C-type lectins: lipoarabinomannan glycoform characterization and quantification by capillary electrophoresis at the subnanomole level. *J Mol Biol*, 2000. 299(5): p. 1353-62.

Nigou, J., et al., Mycobacterial lipoglycans: structure and roles in mycobacterial immunity, in *Mass spectrometry in biology and medicine*. 2000. p. 463-480.

Rojas, M., et al., Mannosylated lipoarabinomannan antagonizes *Mycobacterium tuberculosis*-induced macrophage apoptosis by altering Ca²⁺-dependent cell signaling. *J Infect Dis*, 2000. 182(1): p. 240-51.

Sidobre, S., et al., Lipoglycans are putative ligands for the human pulmonary surfactant protein A attachment to mycobacteria. Critical role of the lipids for lectin-carbohydrate recognition. *J Biol Chem*, 2000. 275(4): p. 2415-22.

1999

Astarie-Dequeker, C., et al., The mannose receptor mediates uptake of pathogenic and nonpathogenic mycobacteria and bypasses bactericidal responses in human macrophages. *Infect Immun*, 1999. 67(2): p. 469-77.

Desire, J. and J. Prandi, Synthesis of methyl beta-D-arabinofuranoside 5-[1D (and L)-myo-inositol 1-phosphate], the capping motif of the lipoarabinomannan of *Mycobacterium smegmatis*. *Carbohydr Res*, 1999. 317(1-4): p. 110-8.

Gilleron, M., et al., Structural study of the lipomannans from *Mycobacterium bovis* BCG: characterisation of multiacylated forms of the phosphatidyl-myoinositol anchor. *J Mol Biol*, 1999. 285(5): p. 2147-60.

Horn, C., et al., Decreased capacity of recombinant 45/47-kDa molecules (Apa) of *Mycobacterium tuberculosis* to stimulate T lymphocyte responses related to changes in their mannosylation pattern. *J Biol Chem*, 1999. 274(45): p. 32023-30.

Monsarrat, B., et al., Characterization of manno oligosaccharide caps in mycobacterial lipoarabinomannan by capillary electrophoresis/electrospray mass spectrometry. *Glycobiology*, 1999. 9(4): p. 335-42.

Nigou, J., et al., Structural definition of arabinomannans from *Mycobacterium bovis* BCG. *Glycoconj J*, 1999. 16(6): p. 257-64.

Nigou, J., M. Gilleron, and G. Puzo, Lipoarabinomannans: characterization of the multiacylated forms of the phosphatidyl-myoinositol anchor by NMR spectroscopy. *Biochem J*, 1999. 337(Pt 3): p. 453-60.

Romain, F., et al., Deglycosylation of the 45/47-kilodalton antigen complex of *Mycobacterium tuberculosis* decreases its capacity to elicit in vivo or in vitro cellular immune responses. *Infect Immun*, 1999. 67(11): p. 5567-72.

1998

Fabre, C., et al., Characterization and sugar-binding properties of arcelin-1, an insecticidal lectin-like protein isolated from kidney bean (*Phaseolus vulgaris* L. cv. RAZ-2) seeds. *Biochem J*, 1998. 329(Pt 3): p. 551-60.

Tuffal, G., et al., Newly found 2-N-acetyl-2,6-dideoxy-beta-glucopyranose containing methyl glucose polysaccharides in *M. bovis* BCG: revised structure of the mycobacterial methyl glucose lipopolysaccharides. *Glycobiology*, 1998. 8(7): p. 675-84.

Tuffal, G., et al., Direct evidence of methylglucose lipopolysaccharides/palmitoyl-CoA noncovalent complexes by capillary zone electrophoresis-electrospray/mass spectrometry. *Anal Chem*, 1998. 70(9): p. 1853-8.

Vercellone, A., J. Nigou, and G. Puzo, Relationships between the structure and the roles of lipoarabinomannans and related glycoconjugates in tuberculosis pathogenesis. *Front Biosci*, 1998. 3: p. e149-63.

1997

Delmas, C., et al., Comparative structural study of the mannosylated-lipoarabinomannans from *Mycobacterium bovis* BCG vaccine strains: characterization and localization of succinates. *Glycobiology*, 1997. 7(6): p. 811-7.

Delmas, C., et al., Mycobacterial lipoarabinomannans: structural and tagging studies, in *Techniques in Glycobiology*, R.R. Townsend and A.T.J. Hotchkiss, Editors. 1997, Marcel Dekker, Inc: New York, Basel, Hong Kong. p. 85-109.

Gilleron, M., et al., *Mycobacterium smegmatis* phosphoinositols-glyceroarabinomannans. Structure and localization of alkali-labile and alkali-stable phosphoinositides. *J Biol Chem*, 1997. 272(1): p. 117-24.

Nigou, J., et al., The phosphatidyl-myo-inositol anchor of the lipoarabinomannans from *Mycobacterium bovis* bacillus Calmette Guerin. Heterogeneity, structure, and role in the regulation of cytokine secretion. *J Biol Chem*, 1997. 272(37): p. 23094-103.

Rojas, M., et al., Differential induction of apoptosis by virulent *Mycobacterium tuberculosis* in resistant and susceptible murine macrophages: role of nitric oxide and mycobacterial products. *J Immunol*, 1997. 159(3): p. 1352-61.

1996

Adam, O., et al., Complete NMR structural elucidation of the capsular polysaccharide adjuvant from *Klebsiella* I-714. *Eur J Biochem*, 1996. 241(2): p. 602-10.

Poquet, Y., et al., A novel nucleotide-containing antigen for human blood gamma delta T lymphocytes. *Eur J Immunol*, 1996. 26(10): p. 2344-9. Riviere, M., et al., A unique phenylalanine-containing lipopeptide isolated from a rough- colony variant of *Mycobacterium avium*. *Eur J Biochem*, 1996. 241(2): p. 682-90.

1995

Adam, O., et al., A nondegradative route for the removal of endotoxin from exopolysaccharides. *Anal Biochem*, 1995. 225(2): p. 321-7.

Constant, P., et al., The antituberculous *Mycobacterium bovis* BCG vaccine is an attenuated mycobacterial producer of phosphorylated nonpeptidic antigens for human gamma delta T cells. *Infect Immun*, 1995. 63(12): p. 4628-33.

Gilleron, M. and G. Puzo, Lipooligosaccharidic antigens from *Mycobacterium kansasii* and *Mycobacterium gastri*. *Glycoconj J*, 1995. 12(3): p. 298-308. Tuffal, G., et al., Structural elucidation of novel methylglucose-containing polysaccharides from *Mycobacterium xenopi*. *Eur J Biochem*, 1995. 233(1): p. 377-83.

Tuffal, G., et al., Purification and LSIMS analysis of methyl glucose polysaccharides from *Mycobacterium xenopi*, a slow growing mycobacterium. *J Carbohydr Chem*, 1995. 14: p. 631-42.

Venisse, A., J.J. Fournie, and G. Puzo, Mannosylated lipoarabinomannan interacts with phagocytes. *Eur J Biochem*, 1995. 231(2): p. 440-7. Venisse, A., et al., Structural analysis of the mannan region of lipoarabinomannan from *Mycobacterium bovis* BCG. Heterogeneity in phosphorylation state. *J Biol Chem*, 1995. 270(25): p. 15012-21.

1994

Constant, P., et al., Stimulation of human gamma delta T cells by nonpeptidic mycobacterial ligands. *Science*, 1994. 264(5156): p. 267-70.

Gilleron, M., J. Vercauteren, and G. Puzo, Lipo-oligosaccharidic antigen from *Mycobacterium gastri*. Complete structure of a novel C4-branched 3,6-dideoxy-alpha-xylo-hexopyranose. *Biochemistry*, 1994. 33(7): p. 1930-7.

1993

Gilleron, M., J. Vercauteren, and G. Puzo, Lipooligosaccharidic antigen containing a novel C4-branched 3,6-dideoxy- alpha-hexopyranose typifies *Mycobacterium gastri*. *J Biol Chem*, 1993. 268(5): p. 3168-79.

Puzo, G., La paroi mycobactérienne: structure et organisation des glycoconjugués majeurs. Institut Pasteur, 1993. 4: p. 225-38.

Riviere, M., et al., Structure of a novel glycopeptidolipid antigen containing a O-methylated serine isolated from *Mycobacterium xenopi*. Complete ¹H-NMR and ¹³C-NMR assignment. *Eur J Biochem*, 1993. 214(2): p. 395-403.

Venisse, A., et al., Structural features of lipoarabinomannan from *Mycobacterium bovis* BCG. Determination of molecular mass by laser desorption mass spectrometry. *J Biol Chem*, 1993. 268(17): p. 12401-11.

1992

Mullins, R.J., et al., Serological response to purified mycobacterial phosphatidylinositol mannoside in healthy controls and in patients with tuberculosis and leprosy. *Int J Lepr Other Mycobact Dis*, 1992. 60(3): p. 353-67.

Riviere, M. and G. Puzo, Use of ¹H NMR ROESY for structural determination of O-glycosylated amino acids from a serine-containing glycopeptidolipid antigen. *Biochemistry*, 1992. 31(14): p. 3575-80.

Riviere, M., ¹H NMR study of complex carbohydrate from a mycobacterial glycopeptidolipidic antigen. *J Chem Phys*, 1992. 89: p. 199-208.

Vercellone, A., et al., Specific binding of phenolic glycolipid antigens from *Mycobacterium bovis* BCG with antibodies. *FEBS Lett*, 1992. 303(1): p. 22-6.

1991

Fournie, J.J., R.J. Mullins, and A. Basten, Isolation and structural characteristics of a monoclonal antibody- defined cross-reactive phospholipid antigen from *Mycobacterium tuberculosis* and *Mycobacterium leprae*. *J Biol Chem*, 1991. 266(2): p. 1211-9.

Riviere, M. and G. Puzo, A new type of serine-containing glycopeptidolipid from *Mycobacterium xenopi*. *J Biol Chem*, 1991. 266(14): p. 9057-63.

1990

Gilleron, M., et al., Structural and immunological properties of the phenolic glycolipids from *Mycobacterium gastri* and *Mycobacterium kansasii*. *Eur J Biochem*, 1990. 189(1): p. 167-73.

Gilleron, M., et al., Carbohydrate epitope structural elucidation by ¹H-NMR spectroscopy of a new *Mycobacterium kansasii* phenolic glycolipid antigen. *Eur J Biochem*, 1990. 193(2): p. 449-57.

Puzo, G., The carbohydrate and lipid containing cell wall of *Mycobacteria*. Phenolic glycolipids: structure and immunological properties. *Critical Rev Microbiol*, 1990. 17: p. 305-27

1989

Fournie, J.J., et al., Inhibition of human lymphoproliferative responses by mycobacterial phenolic glycolipids [published erratum appears in *Infect Immun* 1990 Jun;58(6):2024]. *Infect Immun*, 1989. 57(11): p. 3653-9.

Vercellone, A. and G. Puzo, New-found phenolic glycolipids in *Mycobacterium bovis* BCG. Presence of a diglycosylated glycolipid. *J Biol Chem*, 1989. 264(13): p. 7447-54.

Vercellone, A., M. Riviere, and G. Puzo, DCI-MS analysis of unknown phenolic glycolipid antigens isolated from *Mycobacterium bovis* BCG. *Adv Mass Spectrom*, 1989. 11B: p. 1350.

1988

Gilleron, M., et al., Synthesis and serological properties of methyl 2,6-dideoxy-4-O-Me- α -D-arabino-hexopyranoside present in the phenolic glycolipid antigen of *Mycobacterium kansasii*. *Carbohydr Chem*, 1988. 7: p. 733-48.

Riviere, M., et al., Identification of partially methylated methyl glycosides by gas chromatography-mass spectrometry of trimethylsilyl derivatives. Application to mycobacterial glycolipid antigen analysis. *J Chromatogr*, 1988. 445(1): p. 87-95.

Riviere, M., et al., Particular matrix for fast atom bombardment mass spectrometric analysis of phenolic glycolipid antigens isolated from pathogen mycobacteria. *Biomed Environ Mass Spectrom*, 1988. 16(1-12): p. 275-8.

Vercellone, A., et al., Structural analogy between the major phenolic glycolipid antigen from two *Mycobacteria* species *kansasii* and *gastri*. *J Chem Phys Lipids*, 1988. 48: p. 129-34.

1987

Fournie, J.J., et al., Structural elucidation of the major phenolic glycolipid from *Mycobacterium kansasii*. II. Presence of a novel dideoxyhexose. *J Biol Chem*, 1987. 262(7): p. 3180-4.

Fournie, J.J., M. Riviere, and G. Puzo, Structural elucidation of the major phenolic glycolipid from *Mycobacterium kansasii*. I. Evidence for tetrasaccharide structure of the oligosaccharide moiety. *J Biol Chem*, 1987. 262(7): p. 3174-9.

Fournie, J.J., M. Riviere, and G. Puzo, Absolute configuration of the unique 2,6-dideoxy-4-O-methyl-arabino-hexopyranose of the major phenolic glycolipid antigen from *Mycobacterium kansasii*. *Eur J Biochem*, 1987. 168(1): p. 181-3.

Papa, F., et al., Specificity of a *Mycobacterium kansasii* phenolic glycolipid (mycoside A) immunoserum. *J Clin Microbiol*, 1987. 25(12): p. 2270-3. Riviere, M., J.J. Fournie, and G. Puzo, A novel mannose containing phenolic glycolipid from *Mycobacterium kansasii*. *J Biol Chem*, 1987. 262(31): p. 14879-84.

1986

Fournie, J.J., M. Riviere, and G. Puzo, Proposition d'une structure tétrasaccharidique pour la partie glucidique du glycolipide majeur isolé de *Mycobacterium kansasii*. *C R Acad Sc Paris*, 1986. 303(serie II): p. 1205-7.